

Report No. : MAN:HL:1048007365

DATE :19th September 2019



WYTE PRINT INDIA PRIVATE LIMITED
 B-24, SECTOR-8, GAUTAM BUDH NAGAR
 NOIDA-201301
 INDIA

CONTACT PERSON : MR. PUNEET TANEJA

THE FOLLOWING SAMPLE(S) WAS/WERE SUBMITTED AND IDENTIFIED BY/ON BEHALF OF THE CUSTOMER AS :

| | |
|------------------------------|---------------------------|
| SAMPLE DESCRIPTION | WYTE 09 CARELIT VINYL 150 |
| COLOUR | WHITE |
| STYLE NO. | WYTE 09 CARELIT VINYL 150 |
| ARTICLE NO./ REF NO. | WYTE 09 CARELIT VINYL 150 |
| SAMPLE RECEIVING DATE | 14/09/2019 |
| TEST PERFORMING DATE | 14/09/2019 TO 19/09/2019 |

RESULT SUMMARY

| TESTS NAME | COMMENTS |
|---|-------------|
| DETERMINATION OF POLYVINYL CHLORIDE (PVC) | SEE RESULTS |

Per Pro SGS India Pvt. Ltd.

Sandip Bhushan (Asst. Manager)

Authorized Signatory

Email your Test Report Related Enquiries at Feedback.HLT@sgs.com



TEST RESULTS:


DETERMINATION OF POLYVINYL CHLORIDE (PVC):

Method: By FTIR

| Test Name | Test Result | Requirement |
|---|--|-------------|
| Determination of Polyvinyl Chloride (PVC) | Actual: Polypropylene base (Sample does not contain PVC.) | / |

Tested Item: WYTE 09 CARELIT VINYL 150

Note : Testing has been performed as per client request.



*****End of Report*****